


MICROBOX-300

Small in size, big in solutions





The MICROBOX-300 box awning offers complete self-protection of the fabric against atmospheric agents, also allowing to greatly extend the lifespan of the whole product.

Its multi-support anchoring system is perfect for obtaining large width and also stands out for its high rolling capacity thanks to its cassette profiles. It allows for maximum dimensions of 5 m. width and 1.40 m. projection, with variable slope up to 180°.



MICROBOX-300 stands out for:

- Its self-protecting system helps keep the fabric in perfect condition.
- Its elegant and functional structure is designed so the awning is perfectly integrated onto the façade it is mounted on.
- Ideal for installation on windows.
- Tensioned drop arms (PRT) or semi-tensioned drop arms (PRS) with slop of up to 180°.




MICROBOX-300 thanks to the great tilting capacity of the arms, is ideal for installing in residential buildings and also in shop windows.

Its smooth lines design harmonizes with the most demanding environments, resulting in a very attractive product to highlight the elegance of classic facades and shops with a traditional style.






Maximum dimensions (m)




| Arms No. | Max. width | Max. projection |
|----------|------------|-----------------|
| 2 | 5,00 | 1,40 |

Dimensions (mm)



Slope


Wall
Ceiling
Between walls





Operation

- ☒ Manual
- ☒ Motorised
- ☒ Automated

Accessories



Usual installations



Finishes


Lacquer in accordance with
QUALICOAT standards
Stainless steel screws and bolts

Classification

Standards
UNE-EN 13561:2015




Mounting



Arms

PRT-21 / PRS-21



Minimum width for recommended arms (m)

| Projection | Minimum width | |
|-------------|---------------|--------|
| | 2 Arms | |
| | Motor | Manual |
| 0,80 - 1,40 | 0,35 | 0,80 |

Max. dimensions for recommended fabrics (m)

| | Width x projection | 2 Arms | |
|-----------|-----------------------|-------------|-------------|
| | | R/T ø60 | R/T ø70 |
| RECACRIL | RECACRIL | 4,00 x 1,20 | 5,00 x 0,90 |
| | RECSYSTEM | 4,00 x 1,20 | 5,00 x 0,90 |
| | RECWATER | 4,00 x 0,90 | 5,00 x 0,70 |
| RECScreen | RecScreen 4000P - 1% | 4,00 x 1,40 | 5,00 x 1,40 |
| | RecScreen 6000 - 2% | 4,00 x 1,20 | 5,00 x 0,90 |
| | RecScreen 7000 - 3% | 4,00 x 1,40 | 5,00 x 1,40 |
| | RecScreen 5000P - 10% | 4,00 x 1,40 | 5,00 x 1,00 |
| | RecScreen RAINLESS | 4,00 x 1,40 | 5,00 x 1,00 |
| PVC | RECAFLEX PRO | 4,00 x 1,40 | 5,00 x 1,00 |





mk@llaza.com
export@llaza.com
T. +34 977 990 600
F. +34 977 990 610

www.llaza.com

LLAZA WORLD, S.A.
Tramuntana, 1
Pol. Ind. Roques Roges
43460 ALCOVER — Spain